PROGRESSIVE MEDICAL CLINIC, LLP

11920 Astoria Blvd., Suite 300 Houston, TX 77089 (281) 481-8878

Lexiscan/Adenosine Isotope Study

This is a specialized test for diagnosing heart abnormalities. An IV will be started in your arm to allow injection of medication. A radioactive Isotope will be injected through the IV and pictures will be taken of your heart. Pictures will be taken during the rest.

For the next portion of the study, a technician will attach electrodes to your chest. They will be connected to an EKG machine, which monitors heart rate and rhythm. A medication will be injected through the IV that will speed up your heart rate, as though you were exercising. Your Physician from Progressive Medical Clinic may attend this portion of the test. Once your heart rate has increased, more Isotopes will be injected through the IV. Pictures will be taken a second time of your heart.

PREPARATION PRIOR TO PROCEDURE:

- Please *shower* and *bathe* the day of the test. **DO NOT** apply *lotion* or *powder* to your chest.
- Wear loose fitting slacks or shorts, a skirt or blouse with buttons in front, sneakers (tennis shoes) or walking shoes. <u>NO METAL UNDERWIRE BRAS & NO METAL SNAPS.</u>
- Please <u>**DO NOT**</u> eat for four (4) hours or smoke at least twelve (12) hours prior to the test. <u>**DO NOT**</u> *drink regular coffee/tea* or *caffeinated beverages* for twenty four (24) forty eight (48) hours prior to the test.
- The doctor or office will or may ask you to discontinue certain medications for twenty-four (24) forty-eight (48) hours prior to the test.
- Viagra, Levitra and Cialis should not be used twenty-four (24) hours prior to the test.
- You should bring a light snack (sandwich, fruit, juice beverage). You will have an opportunity to eat at some point during the test when instructed by the technician.
- NOTIFY US IF YOU ARE PREGNANT.

DURATION OF TEST IS 4-6 HOURS. PLEASE PLAN ACCORDINGLY.

YOUR APPOINTMENT IS SCI	IEDULED FOR				
-		DULE YOUR TEST. IF YOU DO NOT GIVE US VAS <u>ESPECIALLY</u> ORDERED FOR YOUR TEST			
PATIENT SIGNATURE		DATE			
******	******** <u>PLEASE NOTE</u> ****	*******			
MUST CONFIRM	STOP CAFFEINE	HOLD MEDS			
BEFORE 2 P.M. DAY REFORE TEST	24 HRS PRIOR TO TEST				

PROGRESSIVE MEDICAL CLINIC, LLP

INFORMED CONSENT FOR ADENOSINE/LEXISCAN STRESS TESTING

In order to determine an appropriate plan of medical management, I hereby consent to voluntarily engage in an exercise test to determine the state of my heart condition and circulation. The information thus obtained will help my physician in advising me as to the activities in which I may engage.

If not done prior to test day, I will have an interview with a physician. I will also be examined by a physician to determine if I have any condition that would indicate that I should not engage in this test.

The test, which I will undergo, is an *Adenosine or Lexiscan* imaging, which is a non-invasive physiologic technique for assessing myocardial perfusion/blood flow and the presence and extent of coronary artery disease.

A calculated dose of Adenosine/Lexiscan is infused over a four-minute period with the patient in the supine position. This can result in a variety of minor transient effects such as: Chest pain, EKG abnormalities, headache, dizziness, ST-segment changes, hypotension, nausea, flushing and dyspnea. The drug aminophyllin (theophylline) may cause an immediate reversal of side effects in almost all instances.

During the performance of the test, a physician and his trained observer will keep under surveillance my pulse, blood pressure and electrocardiogram. Emergency equipment and trained personnel are available to deal with unusual situations, which may arise.

The information, which is obtained, will be treated as privileged and confidential, and will not be released or revealed to any person without my express written consent. The information obtained, however, may be used for statistical or scientific purposes with my right of privacy retained.

I have read the foregoing; I understand it and any questions, which may have occurred to me, have been answered to my satisfaction.

Print:			
Sign:			
Date:			
Witne	.ee.		

MEMORIAL SOUTHEAST PROFESSIONAL BUILDING II 11920 ASTORIA BLVD., SUITE 300 HOUSTON, TEXAS 77089 Tel: (281) 481-8878 Fax: (281) 481-9020 www.progmd.com

DO NOT TAKE MEDICATION LIST

Do not take any of the following *medications* 48 hours prior to your study:

Aerolate (all forms)

Aggrenox

Norgesic

Norgesic

Theochron

Theoclear LA

Aminophylline

Norgesic Forte

Theo-Dur (all forms)

Asbron G (tabs, elixir)

Percentian

Persantine Theolair Brankodyl Primatene Tablets Theo-Organidin Caffergot (contains caffeine) Cialis Quadrinal Theophlline Choledyl (all forms) Quibran-SR Theospan SR Constant-T Respbid Theo. Sav. Dilor (all forms) Slo-bid Theo Vent Dipyridamole TheoX Somophyllin Elixophyllin Trental Sustaire Fioricet(contains caffeine) T-phyl Respid

Fioricet(contains caffeine)

Fiorinal (contains caffeine)

Levitra

T-phyl

Tedral SA

Uniphyl

Theo-24

Viagra

Lufyllin

Theo bid Duracap & Jr.

Xanthine

Do not take any of the following *medications* <u>24</u> hours prior to your study:

Anacin Excedrin Norgesic Forte
Aminophylline Fioricet Pain medication
Cafergot Fiorinol Persantine
Darvon Compound No Doz Synalgos
Dipridamole No Inhalers Wigraine

Esgic Norgesic

Do not take any of the following *medications* <u>12</u> hours prior to your study:

* Calcium Channel Blocker: *No Beta-Blocker: Corgard Ditiazem Atenolol (Tenormin) Inderal

Tiazac Beta Pacem (Steolol) Inderal LA (Propranolol)

Verapamil Betoptie (Bexaxolol) Levatol

* Digoxin Blocadren (Timolol) Lopressor (Metoprolol)

* Digoxin Normadyne (Labetolol)

Cartrol Ziac (Bisoprolol)

Coreg (Carvedilol) Zebeta

Do not take any of the following *diabetic medications* on the day of the test:

Amaryl Glucophage Glyburide
Actos Glucotrol Metformin
Insulin Glucovance Starlix

FOOD AND DRINKS

*** Discontinue 24 Hours Prior to Exam ***

*** NO CAFFEINE***

Coffee Decaffeinated Coffee Tea

Hot Chocolate/Any Chocolate Colas "Caffeine Free" Colas Dr. Pepper Mr. Pibb Mountain Dew

DO NOT smoke or use any tobacco products after midnight the night before the test!!!

BRING ALL OF YOUR MEDICATION BOTTLES TO YOUR APPOINTMENT!!!!!